



Major Components of Home Entertainment Control System




Figure 1

Replacement Sheet



Home Entertainment Control System Controller




Figure 2

Application No.: 10/671,314 Inventor: Sprauve et al. Filed: September 24, 2003 Art Unit: 2179 Docket No. 351963-990101 Page 3 of 48


Replacement Sheet



DDW Make and Model

File Help			manden men men den de tre d		***************************************		***************************************
	Selectine type of component you would like to create: W.Shmonini Perence (CD)	I you would like	to create: Cable set top box	QAQ ×c		******	
	Game Console MP3	3	Microphone			·····	
	Satellite Spe TV Tur	Speaker Tuner	Splitter VCR	Switch Video P	Switch Video Processor		
	nufacturer.	Denon		F		3	
	Model:	AVR5803	03				
	Copy attributes from:			Browse			
	Manufacturer's suggested list price: \$1,200	st price: \$1,200					
	Dimensions (inches):	Height	7.0 Width	17.25 C	Depth 14.0		
	Power dissipation (watts):	Active	50 Standby	, 5			
at maa ili o waji		٠					
	,						
	Make & Model	***************************************		× Back	Nex	š	Cancel
****	•				-	Ŧ	P

Figure 3





DDW Input Connector Groups

😤 New A/V, Component Wizard: A/V	nbouen	Wizard:	A.V. Inpu) Connec	ector Groups	35	X 50 44	E					×
dieH eli3				***************************************		***************************************		***************************************	***************************************	ted in the best page of	***************************************		
				Number	Number of AV input connector groups 24	tconnecto	r groups	24			-	a control of the cont	
	Input 1	Input 2	Input 3	Input 4	Input 5	Input 6	Input 7	Input 8	Input 9		Input 10 Input 11	Input 12	ğ
Name	<u> </u>	DBS/SAT DVD		Phono	ے	Tape 1	Tape 2	Tuner	V Aux	VCR 1	VCR 2	VCR 3	Ĕ
Coax digital	L	L	L	<u>_</u>	L	L	L	L	L	L	_ _	L	
Optical digital	L	L	L	L	L	L	L	L	L	L	L	L	
Analog audio	Þ	12	ı≥	Þ	Þ	Þ	Ľ	Þ	D	ß	lΣ	Ľ	
Speaker level	L	L	L	L	L	L	L	L	L	L	L	L	
δ.	L	L	L	L	L	L		L	L	L	L	L	
HD VGA	L	L	L	L	L	L	L	L	L	L	L	L	
VGA	L	L	L	L	L	L	L	L	L	L	<u>_</u>	L	
Component	L	Þ	2	L	Þ	L	L	L	L	L	L	L	
S-Video	L	2	Þ	L	<u>></u>	L	L	L	D	>	Þ	12	
Composite	L	12	ıΣ	L	2	L	L	L	Þ	Þ	2	!≥ ,	
1394	L	L	L	L.	L	L	L	L	L	L	. L	L	
USB	L	<u></u>	L_	L	L	L	L	L	L	L	L	L	
4	L	L	L.	L	<u>L</u>	L	L	L	L	L	L	L	
antenna	L	L	L	L	L	L	L	2	L	<u></u>	L	L	
Ethernet	L	L	L	L	L	L	L	L	L	L	L	L	
-													•
			. •										
								Γ	-		i e		•
		Javy inpu	Av input connector Groups	or Groups				F	< Back	Next >	š	Cancel	i e

Figure 4







DDW Assignable Input Ports

😤 New AN Component Wizard: Assignable Input Ports	omponen	ı Wizard: A	ssignable	InputiPo	jts			, dim k			Į.	XIII.
Elle Help										***************************************	A COLUMN TO THE PROPERTY OF TH	***************************************
Number of assignable input ports 111	signable ir	nput ports.) 									
Name	C)	DBS/SAT	ΟλΟ	Phono	2	Tape 1	Tape 2	Tuner	V Aux	VCR 1	VCR 2	Ş
	2		.)	<u>)</u>	<u>l></u>	ì>	l <u>></u>	lΣ	<u> </u>	<u>. </u>	<u> </u>
Coax 2	<u> </u>	2	5		<u>\</u>	ì <u>></u>) _	2	D.	12	ı≥	<u> </u>
'	<u> </u>	ı∠	<u>ک</u>	<u>\</u>		<u>.</u>	>	<u> </u>	<u>\</u>	<u>\</u>	۷.	<u> <</u>
! `	<u>></u>	<u>ک</u>	lΣ		2	<u>\</u>	2	<u>^</u>	٤	<u>\</u>	<u>\</u>	<u>`</u>
▮ `	2	<u>)</u>	>		2	<u>\</u>	<u>)</u>	<u> </u>	<u> \</u>	<u> }</u>	12	<u> </u>
Ľ	2	2	>		>	2	<u> </u>	<u>12</u>	<u> }</u>	<u> ></u>	<u> </u>	12
Ľ	2	2			12.	<u>\</u>	2	12.	2	<u> ></u>	<u>></u>	<u> </u>
Optical 3	>		D		12	<u>.</u>	13.	<u> ></u>	12.	<u>13.</u>	<u> </u>	<u>1</u> 2
Optical 4	>		>		12	دا	12	12	<u> </u>	<u>ح</u> ا	<u>\</u>	<u> </u>
Optical 5	2		2	2	2		2	<u>></u>	<u> </u>	lΣ	∠ا	<u> </u>
Optical 6	<u> </u>	2	>		2	2	2		12.	١ <u>ک</u>	<u> </u>	<u> </u>
-				1.								
			100	4			7	700	1	F		
		Assigna	Assignable Input Ports	SUC			F	A Back	Nexi >		-	calice

Figure 5



DDW A/V Output Connector Groups

ž	ew A/V Com	🕵 New AN Component Wizard: AN Output Connector Groups.	d: ANO	utput Con	mector G	roups								X
Elle	Help													
				Numbe	Number of AV output connector groups 9	nput conn	ector grou	6 Sd	,					,
			Output 1	Output 1 Output 2 Output 3 Output 4 Output 5 Output 6 Output 7 Output 8 Output 9	Output 3	Output 4	Output 5	Output 6	Output 7	Output 8	Output 9			
		Name	Speaker	Speaker MZone 1 MZone 2 VCR 1	MZone 2	1	VCR 2	VCR 3	Mon 1	Mon 2	Suround			
**********		Coax digital	L	L	L	L	L	L	L	L	L			
		Optical digital	L	L	L	L	L	L	L	L	L			
diam-mi-		Analog audio	L	ß	Þ	Þ	D	D	ıΣ	Þ	ĺΣ			
············		Speaker level	Þ	L	ı	L	L	L	L	L	L			
		ā	L	L	L	L	L	L	L	<u>_</u>	L			
onorm.		HD VGA	L	L	L	L	L	L	L	L	L			
-00-0 0.000		VGA	L	L	L	L	L	L	L	L	L			
***************************************		Component	L	L	L	L.	L	L	2	L	L			
*		S-Video	L	L	L	ß	Þ	2	ıΣ	2	L			
0-4 0		Composite	L	ľΣ	2	ß	Œ	D	Œ	2	L			
********		1394	L	L	L	L	L	L	L	L	L			
nana na		USB	L	L	L	Ĺ	L	L	L	L	L			
TICLOSUS STORY		RF	L	L	L	L	L	<u></u>	. L	<u>_</u>	L			
a.comentio re		antenna	L	L	L	L	L	L	L	L	L			
		Ethernet	L	L	L	L	L	L	L	L	L			
		is Multizone	_	ĺΣ	D	L	L	Ļ	L	L	L			
		AW	Output Co	AV Output Connector Groups	sdno			•	< Back	Next >	[Cancel	
		-						ı		4	1	-		1

Figure 6

Application No.: 10/671,314 Inventor: Sprauve et al. Filed: September 24, 2003 Art Unit: 2179 Docket No. 351963-990101 Page 7 of 48

Replacement Sheet



DDW Volume Control




Figure 7

Application No.: 10/671,314 Inventor: Sprauve et al. Filed: September 24, 2003 Art Unit: 2179 Docket No. 351963-990101 Page 8 of 48

Replacement Sheet



DDW Controlled By

器 New A/V Component Wizard: Controlled By		
die Help		
Specify all Specify th	Specify all the ways this component can be controlled. Specify the most complete control mechanisms first.	controlled. sms first.
	IR External	
	RS-232 DB-25 Female	
	auou	
Controlled By		▼ <back next=""> OK Cancel</back>

Figure 8

Application No.: 10/671,314 Docket No. 351963-990101 Page 9 of 48

Inventor: Sprauve et al.
Filed: September 24, 2003 Art Unit: 2179 Replacement Sheet



DDW IR Options

Some AV components have multiple sets of IR codes so that multiple components of the same type can make multiple passes through the IR learning section of this wizard and you may want to go back a few Do not convert files whereby such conversion would violate any laws, license agreements or intellectual be controlled by the same remote controller. If this component has multiple code sets you will want to v txeN There are 3 ways to assign IR commands. You can use any combination of these ways. 1. Import the IR commands from an existing component or file. 2. Cut and paste the hexadecimal encoding of the IR command. steps and add a switch to correspond with the code set selection. 3. Capture the commands from the remote control. 👺 New A/V Component Wizard: IR Options property rights of others. IR Options This component has File Heb

Figure 9

Application No.: 10/671,314 Inventor: Sprauve et al. Filed: September 24, 2003 Art Unit: 2179 Docket No. 351963-990101 Page 10 of 48

Replacement Sheet






Figure 10


Application No.: 10/671,314 Inventor: Sprauve et al. Filed: September 24, 2003 Art Unit: 2179 Docket No. 351963-990101 Page 11 of 48 Replacement Sheet



DDW IR Edit

New New	S New A/V Component Wizard: It Edit	Vizands Tr		×
File	Help	annes es e		
	IR Command	Repeat#	H Post Delay IR Code (hexadecimal)	
	Power On	4	4 1000 0000 006c 0000 0020 0009 001e 0009 0047 0009 001e 0009 001e 0009 001	
-	Power Off	4	4 1000 0000 006c 0000 0020 0009 001e 0009 0047 0009 001e 0009 001e 0009 001	,
	Mute	4	4 1000 0000 006c 0000 0020 0009 001e 0009 0047 0009 001e 0009 001e 0009 001	
	Volume Up	4	4 1000 0000 006c 0000 0020 0009 001e 0009 0047 0009 001e 0009 001e 0009 001	
	Volume Down	4	4 1000]0000 006c 0000 0020 0009 001e 0009 0047 0009 001e 0009 001e 0009 001	
	CD	4	4 1000 0000 006c 0000 0020 0009 001e 0009 0047 0009 001e 0009 001e 0009 001	
	DBS/SAT	4	4 1000 0000 006c 0000 0020 0009 001e 0009 0047 0009 001e 0009 001e 0009 001	
	Ovo	4	4 1000 0000 006c 0000 0020 0009 001e 0009 0047 0009 001e 0009 001e 0009 001	
	Phono	4	4 1000 0000 006c 0000 0020 0009 001e 0009 0047 0009 001e 0009 001e 0009 001	
	2	4	4 1000 0000 006c 0000 0020 0009 001e 0009 0047 0009 001e 0009 001e 0009 001	
******	Tape 1	4	4 1000 0000 006c 0000 0020 0009 001e 0009 0047 0009 001e 0009 001e 0009 001	
	Tape 2	*	4 1000 0000 006c 0000 0020 0009 001e 0009 0047 0009 001e 0009 001e 0009 001	
	Tuner	4	4 1000 0000 006c 0000 0020 0009 001e 0009 0047 0009 001e 0009 001e 0009 001	
*****	VAUX	4	4 1000 0000 006c 0000 0020 0009 001e 0009 0047 0009 001e 0009 001e 0009 001	
	VCR-1	4	4 1000 0000 006c 0000 0020 0009 001e 0009 0046 0009 001e 0009 001e 0009 001	
	ф	7	4 1000 0000 006c 0000 0020 0009 001e 0009 0047 0009 001e 0009 001e 0009 001	
	Channel Down	4	4 1000 0000 006c 0000 0020 0009 001e 0009 001e 0009 0047 0009 0047 0009 001	-
engen fod	Channel Up	4	4 1000 0000 006c 0000 0020 0009 001e 0009 001e 0009 0047 0009 0047 0009 001	-
	Tuning Up	7	4 1000 0000 006c 0000 0020 0009 001e 0009 001e 0009 0047 0009 0047 0009 001	
	Tuning Down	*	4 1000 0000 006c 0000 0020 0009 001e 0009 001e 0009 0047 0009 0047 0009 001	
	5Ch/7Ch Stereo	4	1	
	Stereo	Ť	4 1000 0000 006c 0000 0020 0009 001e 0009 001e 0009 0047 0009 0047 0009 001	
	DTS	4	4 1000 0000 006c 0000 0020 0009 001e 0009 001e 0009 0047 0009 0047 0009 001	· .
	7.4%.	*	100 לייסטן מסטט אינטט מסטט אינטט מסטט אינטטט מסטט אינטטט מסטט אינטטטטטטטטטטטטטטטטטטטטטטטטטטטטטטטטטט	
	Set Selected Cells to	0	Set Edit Add	
*****	•			1 -
		•		
igentation				
			The second secon	
		Ir Edit	< Back Next > OK Cancel	lea

Figure 11





DDW IR Testing

🗟 New A/V Component Wizards Is Testing.		
ile Help		Молеца е валите принциперателни и пределения пределения пределения положения подателения подателения подателения
Test the IR commands	-	Test Setup
poweron	Controller	d5k_E015 • Refresh
power off	IR output port	IR Output Port 6
power on, power off	Power sense port	Powersense Port 6
power off, power on	Power sense mode	Viden
power on		
power off	Power sense status	
mute	Power sense power on delay	n delay
volume up	Power sense power off delay	ff delay
volume down	Test Pa	Passed Failed Reset
select CD input		
select DBS/SAT input	Passed	Passed & Send Next Command
select DVD input	Joseph State of the State of th	
select Phono input		
select TV input		
select Tape 1 input		
select Tape 2 input	a n	
select Tuner input	zá.	
select V Aux input	. April	
select VCR 1 input		
select VDP input	(000000 000000000000000000000000000000	
channel down	P	
	•	
	•	
Ir Testing		

Figure 12

Application No.: 10/671,314 Inventor: Sprauve et al. Filed: September 24, 2003 Art Unit: 2179 Docket No. 351963-990101 Page 13 of 48

Replacement Sheet



DDW RS232 Connection

Baud Rate Data Bits Data Bits Parity Stop Bits Flow Control Cleave Between bytes Frou Cordinands Frou ped Commands Stouped Commands	RE New AJV Component Wizard; KSZ3Z Connection	ırd: 18737 Connection	material and the second]
tts 9600 15 1000 15 1000 15 1000 15 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000	File Help				
ts none nontrol la commands separator la com		Baud Rate	▲ 0096		
ontrol Setween bytes Toriniands Separator	····	Data Bits	8		
ween byles Cornmands Separator	***************************************	Parity	→ euou		
ween bytes meands Soronmands Separator		Stop Bits)		
		Flow Control	L		
		Delay Between bytes	s E		
Grauped Corrimands Separator		This device groups command			
		Grouped Commands Separator			
				•	
				-	
R8232 Connection	RS2	232 Connection	▼	ĕ	Cance

Figure 13

Application No.: 10/671,314 Inventor: Sprauve et al. Filed: September 24, 2003 Art Unit: 2179 Docket No. 351963-990101 Page 14 of 48

Replacement Sheet






Figure 14

Application No.: 10/671,314
Inventor: Sprauve et al.
Filed: September 24, 2003 Art Unit: 2179
Docket No. 351963-990101
Page 15 of 48
Replacement Sheet



DDW Assign RS232 Commands




Figure 15

Application No.: 10/671,314 Inventor: Sprauve et al. Filed: September 24, 2003 Art Unit: 2179 Docket No. 351963-990101 Page 16 of 48

Replacement Sheet



DDW Test RS232 Commands





Figure 16



Replacement Sheet



DDW Transport




Figure 17



DDW Menu

Application No.: 10/671,314
Inventor: Sprauve et al.
Filed: September 24, 2003 Art Unit: 2179
Docket No. 351963-990101
Page 18 of 48

Replacement Sheet




Figure 18



Application No.: 10/671,314 Inventor: Sprauve et al. Filed: September 24, 2003 Art Unit: 2179 Docket No. 351963-990101 Page 19 of 48

Replacement Sheet




Figure 19

Application No.: 10/671,314 Inventor: Sprauve et al. Filed: September 24, 2003 Art Unit: 2179 Docket No. 351963-990101 Page 20 of 48

Replacement Sheet



DDW You're Done!


***************************************					Cancel
					š
***************************************					\$ 1 m
***************************************		,	,		< Back
					•
***************************************					***************************************
	new device ce file.			·	one
	Congravulations! You have defined a new device. Just hit o.k. below to Save this device file.				Congrabilations You're Donel
	ions! You ta . below to Si				Congratulation
	Congratulat Just hit o.k				L
File Help					,
9E					


Figure 20

Application No.: 10/671,314 Inventor: Sprauve et al. Filed: September 24, 2003 Art Unit: 2179 Docket No. 351963-990101 Page 21 of 48

Replacement Sheet







Application No.: 10/671,314 Inventor: Sprauve et al. Filed: September 24, 2003 Art Unit: 2179 Docket No. 351963-990101 Page 22 of 48

Replacement Sheet



Design Module No AV Components Yet

鑑 Entertainment	ent Devices in FamilyRoom.		***		•	The second secon	×
		Far	FamilyRoom				
Done	Component	Video In	Video Out	Audio In	Audio Out	Power	Control
	and the second s	Add	Add Component				
Click a Compon Or Click the Add	Click a Component Name to Edil/Delete that Component Or Click the Add Component Button Above to Add a New Component in this Room	omponent Idd a New Co	mponent in th	is Room	***************************************	The state of the s	


Application No.: 10/671,314 Inventor: Sprauve et al. Filed: September 24, 2003 Art Unit: 2179 Docket No. 351963-990101 Page 23 of 48

Replacement Sheet



Design Module Adding a VCR to the Family Room

& Add Component in FamilyRoom	C Legacy © XML Files	facturer	el HR-A591U -	File Names HR-A591U.xml	ne FamilyRoom VCR	Name to be Displayed VCR Maximum eight characters	© On When Needed	C Always On	الله Power Not Controlled	Add
DV 🕸	Tyne	Manufa	Model	File Na	Name	Name t	و ou ہ	C C	ن Pog	





Design Module Adding a DVD to the Family Room

🕰 Add Component in FamilyRoom 🔀	C Legacy € XML Files	Manufacturer RCA 🔻	odel RC6001P plus	File Names RCA-RC6001P plus xml	Name FamilyRoom DVD	Name to be Displayed DVD Maximum eight characters	on When Needed	C. Always on	C Power Not Controlled	Add Cancel
4 <u> </u>	Туре	Man	Model	Fig	Na Sa M	We Nam	<u>्</u>	₹ C	a. C	

Figure 24

Application No.: 10/671,314 Inventor: Sprauve et al. Filed: September 24, 2003 Art Unit: 2179 Docket No. 351963-990101 Page 25 of 48

Replacement Sheet




Design Module Adding a Satellite Receiver to the Family Room

😤 Add Component in FamilyRoom	, FamilyRoo	X E
	C Legacy	ر Legacy و XML Files
Type	Satellite	F
Manufacturer	Sony	
Model	SAT-B2	>
File Names	SAT-B2.xml	F
Name	FamilyRoom Satellite	n Satellite
Name to be Displayed Satellite Maximum eight characters	Satellite	lers
On When Needed		
C Always On		
C Power Not Controlled	70	•
	Add	Cancel

Application No.: 10/671,314 Inventor: Sprauve et al. Filed: September 24, 2003 Art Unit: 2179 Docket No. 351963-990101

Page 26 of 48





Design Module Adding a PVR to the Family Room

🙇 Add Component in FamilyRoom	, FamilyRoo	×
	C Legacy	C Legacy @ XML Files
Type	PVR	>
Manufacturer	ReplayTV	
Model	RTV4000	
File Names	RTV4000.xml	T m
Name	FamilyRoom PVR	n PVR
Name to be Displayed PVR	e Displayed PVR Maximum eight characters	iters
© On When Needed		
O shways On		
C Power Not Controlled	D	
	Add	Cancel

Application No.: 10/671,314 Inventor: Sprauve et al. Filed: September 24, 2003 Art Unit: 2179 Docket No. 351963-990101 Page 27 of 48 Replacement Sheet



Design Module Adding a Surround Receiver to the Family Room

yRoom X	C Legacy © XML Files	AV Surround receiver	>	802	AVR-1802.xml	om AV Surround receiver	AV Surround receiver ght characters	auso mango s ni	*		Add Cancel
প্রি (tid Component in Fami	a C	Type AV Su	Manufacturer	Model AVR-1802	File Names AVR-	Name om A	Name to be Displayed AV Surround rec	© On When Needed	O Allways On	C Power Not Controlled	¥

Application No.: 10/671,314 Inventor: Sprauve et al.
Filed: September 24, 2003 Art Unit: 2179
Docket No. 351963-990101 Page 28 of 48

Replacement Sheet



Design Module Adding a TV to the Family Room

🕾 Add Component in FamilyRoom	in, FamilyRoo	E.
	C Legacy	Legacy © XML Files
Type	<u>≥</u>	>
Manufacturer	DNC	>
Model	20820	•
File Names	20820.xml	•
Name	FamilyRoom TV	√T m
Name to be Displayed	e Displayed TV Maximum eight characters	ters
© On When Needed	-	
C Always On		
C Power Not Controlled	palled	
	Add	Cancel

Application No.: 10/671,314 Inventor: Sprauve et al. Filed: September 24, 2003 Art Unit: 2179 Docket No. 351963-990101 Page 29 of 48

Replacement Sheet



Design Module with All of the AV Components Added

🕵 Enter	🕵 Entertainment Devices, in FamilyRoom			**		7 A	×
		Far	FamilyRoom				
Done	Component	Vídeo In	Video Out	Audio In	Audio Out	Power	Control
L	FamilyRoom VCR	0	0	0	0	0	0
L	FamilyRoom DVD	0	0	0	0	0	0
L	FamilyRoom Satellite	0	0	0	0	0	0
L	FamilyRoom PVR	0	0	0	0	0	0
L	FamilyRoom AV Surround r	0	0	0	0	0	0
L	FamilyRoom TV	0	0	0	0	0	0
		Add	Add Component				
Click a Co Or Click ti	Click a Component Name to Edit/Defete that Component Or Click the Add Component Button Above to Add a New Component in this Room	omponenl 1dd a New Cc	omponent in ti	nis Room			

Figure 29




Application No.: 10/671,314 Inventor: Sprauve et al. Filed: September 24, 2003 Art Unit: 2179 Docket No. 351963-990101 Page 30 of 48

Replacement Sheet

Design Module DVD AV Input Ports

s Edit FamilyRoom DVD		Connections for FamilyRoom DVD	milyRoom DVD		
AV In AV Out Control, Status, Power, Other	ower,Other Info and Help				y V
	•				
This device has no IN ports					
	A Section 1				
				en de la companya de	
Locate				č	Cancel Delete



Replacement Sheet



Design Module DVD AV Output Ports

Edit Fa	Edit FamilyRoom DVD	Connections for FamilyRoom DVD	DVD m			×
γ. P	Win AW Out Control, Status, Power, Other	s,Power,Other Info and Help				****
Out Out	ut Zao					
DIA.	Composite	FamilyRoom AV Surround receiver	Composite	Out viComposite,1103 DVD/VDP viComposite	DVDAVDP VICOR	nposite
<u> </u>	S-Video	FamilyRoom AV Surround receiver DVD/VDP	S-Video	D3 Dvd Out v[S-Video,1103 DVD/VDP v[S-Video	03 DVD/VDP 4	S-Video
	Component		Component			
₹_	Audio					
<u></u>	☑ Line stereo RCA FamilyRoom	FamilyRoom AV Surround receiver 💌 DVDVDP	→ Line stereo RCA	Line stereo RCA stereo RCA,1103 DVD/VDP alLine stereo RCA	VDP aļLine ster	eo RCA
<u>. </u>	S/PDIF on Toslink	¥	SPDIF on Toslink Wire Id	Wire Id		
1	S/PDIF on RCA	→ ·	SIPDIF on RCA	Dale		
]						
Update				Ö	Cancel	Delete

Figure 31

Application No.: 10/671,314 Inventor: Sprauve et al. Filed: September 24, 2003 Art Unit: 2179 Docket No. 351963-990101 Page 32 of 48


Page 32 of 48 Replacement Sheet



Design Module DVD Control, Status, Power, Other Ports

Edit FamilyRoom DVD Connections for FamilyRoom DVD	,		×
VV In AV Out Control, Status, Power, Other Info and Help		/	
ower On Policy G As Needed C Atways On C Power Not Controlled			
7 On Off Status			
C Power Sensor on a shutb			
Power Sensor on Domain 5000 D5K #1-Sync Input 1 Power Sensor on Domain 5000 D5K #1-Sync Input 1 Power Sensor on Domain 5000 D5K #1-Sync Input 1 Power Sensor on Domain 5000 D5K #1-Sync Input 1 Power Sensor on Domain 5000 D5K #1-Sync Input 1 Power Sensor on Domain 5000 D5K #1-Sync Input 1 Power Sensor on Domain 5000 D5K #1-Sync Input 1 Power Sensor on Domain 5000 D5K #1-Sync Input 1 Power Sensor on Domain 5000 D5K #1-Sync Input 1 Power Sensor on Domain 5000 D5K #1-Sync Input 1 Power Sensor on Domain 5000 D5K #1-Sync Input 1 Power Sensor on Domain 5000 D5K #1-Sync Input 1 Power Sensor on Domain 5000 D5K #1-Sync Input 1 Power Sensor on Domain 5000 D5K #1-Sync Input 1 Power Sensor on Domain 5000 D5K #1-Sync Input 1 Power Sensor on Domain 5000 D5K #1-Sync Input 1 Power Sensor on Domain 5000 D5K #1-Sync Input 1 Power Sensor on Domain 5000 D5K #1-Sync Input 1 Power Sensor on Domain 5000 D5K #1-Sync Input 1 Power Sensor on Domain 5000 D5K #1-Sync Input 1 Power Sensor on Domain 5000 D5K #1-Sync Input 1 Power Sensor on Domain 5000 D5K #1-Sync Input 1 Power Sensor on Domain 5000 D5K #1-Sync Input 1 Power Sensor on Domain 5000 D5K #1-Sync Input 1 Power Sensor on Domain 5000 D5K #1-Sync Input 1 Power Sensor on Domain 5000 D5K #1-Sync Input 1 Power Sensor on Domain 5000 D5K #1-Sync Input 1 Power Sensor on Domain 5000 D5K #1-Sync Input 1 Power Sensor on Domain 5000 D5K #1-Sync Input 1 Power Sensor on Domain 5000 D5K #1-Sync Input 1 Power Sensor on Domain 5000 D5K #1-Sync Input 1 Power Sensor on Domain 5000 D5K #1-Sync Input 1 Power Sensor on Domain 5000 D5K #1-Sync Input 1 Power Sensor on Domain 5000 D5K #1-Sync Input 1 Power Sensor on Domain 5000 D5K #1-Sync Input 1 Power Sensor on Domain 5000 D5K #1-Sync Input 1 Power Sensor On Domain 5000 D5K #1-Sync Input 1 Power Sensor On Domain 5000 D5K #1-Sync Input 1 Power Sensor On Domain 5000 D5K #1-Sync Input 1 Power Sen	F		
Tum Device ON/OFF using a Relay Control Unit			
D5K #1-Relay Control Unit			
Relay 1			
Control the device			
			-
Update	Ok	Cancel	Delete

Figure 32



Replacement Sheet



Design Module Info and Help

3 Feliv FamilyRoo	Schrifamitykoom DYD 👍 🔅	The state of the s	Connections for EsmikDonm DVD
AN IN AN Out C	AV In AV Out Control Status, Power, Other In	Info and Help.	
Name	FamilyRoom DVD	On Line Manual	
Display Name	DVO	-	
Maximum eight characters	characters		
Mfg	RCA	Model	RC6001P plus
XML File: RCA-RC6001P plus.xml	:6001P plus.xml		
Serial #	123456789	Date of Installation 11/14/03	1114/03
Warrantee period 12	12	in months	
-Dimensions			
0.0 h 0.0 w 0.0 d	0.0 d		
Power Dissipation in Watts-	n in Watts		
Active	120	Standby	20
Undate			Ok Cancel Delete

Figure 33

Application No.: 10/671,314 Inventor: Sprauve et al. Filed: September 24, 2003 Art Unit: 2179 Docket No. 351963-990101 Page 34 of 48

Replacement Sheet



Design Module All AV Components with Wires

🐯 Enter	නී Entertainment Devices in FamilyRoom							हिंद्
		Fa	FamilyRoom					
Done	Component	Video In	Video Out	Audio In	Audio Out	Power	Control)y
L	FamilyRoom VCR	0	V-	0		0	0	·
L	FamilyRoom DVD	0	2	0	-	0	V-	
L	FamilyRoom Satellite	0	-	0	, -	0	—	
<u>L</u>	FamilyRoom PVR	1	0	-	0	0	1	
L	FamilyRoom AV Surround r	3	-	2	-	0	•	
L	FamilyRoom TV	1	0	-	0	0	***	
				. '				
		Add	Add Component					
Click a G Or Click t	Click a Component Name to EdiVDelete that Component Or Click the Add Component Button Above to Add a New Component in this Room	omponent Idd a New Co	omponent in t	nis Room	Service of the second of the s	i de la companya de l		


Figure 34

Application No.: 10/671,314 Inventor: Sprauve et al. Filed: September 24, 2003 Art Unit: 2179 Docket No. 351963-990101 Page 35 of 48

Replacement Sheet



Graphical User Interface Entertainment Off



Application No.: 10/671,314 Inventor: Sprauve et al. Filed: September 24, 2003 Art Unit: 2179 Docket No. 351963-990101 Page 36 of 48





Graphical User Interface DVD is the Active Source




Figure 36

Application No.: 10/671,314 Inventor: Sprauve et al. Filed: September 24, 2003 Art Unit: 2179 Docket No. 351963-990101 Page 37 of 48

Replacement Sheet






Figure 37

Application No.: 10/671,314 Inventor: Sprauve et al. Filed: September 24, 2003 Art Unit: 2179 Docket No. 351963-990101 Page 38 of 48

Replacement Sheet



📂 <u>E</u> ile <u>E</u> dit		<u>V</u> iew <u>T</u> ools	He(□ ✓				
Market Company of the						Partial Parts List	<u>ما</u>
Wizard Kules Schematic	Buy/Owned	Qfy	Part number	Manufacture Model #	Model #	Description	v
Racks//Cabinets Room/Layout	Buy Owned		PAN-DVD-200 Sony-VCR-100	Panasonic Sony	DVD-200 VCR-100	Panasonic DVD player Sony VCR	
ts/List n/List ion &	Stock 1 Buy	130/160 ft 72	Cable-S-Video Conn-Fm-S-Video	any any	any any	130 ft to 160 ft S-Video cable Female S-Video connectors	
V.ew							
Model ✓ Abbreviations ✓ Video ✓ Audio ✓ Power sense ✓ Control ✓ I10 V							
Return to DM. Return to GUI				Colored Strapp age.			

Application No.: 10/671,314 Inventor: Sprauve et al. Filed: September 24, 2003 Art Unit: 2179 Docket No. 351963-990101 Page 39 of 48

Replacement Sheet

File E	Edit	View	Tools	He[∏ V]				
Floor plan								
Add Theater				From the output of this component	component	To the input of this component	component	
Add Distributed	Done	Action	Wire type	Name Po	Port	Name	Port	Wire length
Wizard Rules Schematic	DD	Add	RG-6 RG-6	Roof satellite antenna Roof broadcast antenna	Antenna out Antenna out	Living room satellite receiver Living room satellite receiver	Satellite antenna in Broadcast antenna in	6.6
Racks / Cabinets Room Layout	<u> </u>	Add Add Add	S-Vid RCA aud RCA aud	Living room satellite receiver Living room satellite receiver Living room satellite receiver	Out 1 S-Vid Out 1 L RCA aud Out 1 R RCA aud	Living room ReplayTV Living room ReplayTV Living room ReplayTV	In S-Vid In L RCA aud In L RCA aud	10" to 20" 10" to 24" 15" to 31"
Run List	<u> </u>	Add	RCA vid S-Vid	Living room satellite receiver Living room ReplayTV	Out 2 RCA vid Out 1 S-Vid	Domain 5000 Living room surround receiver	Video sync in PVR in S-Vid	121" to 132" 17" to 23"
View 2	=	Remove	Pi.A-S	Living room Replay TV	Out 2 S-Vid	Living room TV	S-Vid in 2	16" to 20"
✓ Action ✓ Wire type								
✓ Abolevianous ✓ Wire length ☐ Wire label Output port	Wire lengif the portion of the fitte of the	Wire length <u>calculations</u> : if the ports are in the same ra then { if the component with the then {	le ra the	ck output is above the one with the input	put			
☐ Type ☐ Manufacturer ☐ Model ☑ Port	s si le	shortest = longest = } }	shortest = longest = sqr ((<top hei<="" td=""><td>ght of the comp with the outputight of the comp with the output</td><td>• minus <the hei;<br="" top="">> minus <the botton<="" td=""><td>reight of the comp with the output> minus <the comp="" height="" input="" of="" the="" top="" with=""> plus 6 inches height of the comp with the input>)^2 + 19^2) plus 6 inches</the></td><td>us 6 inches t>)^2 + 19^2) plus 6 inche:</td><td>ς,</td></the></the></td></top>	ght of the comp with the outputight of the comp with the output	• minus <the hei;<br="" top="">> minus <the botton<="" td=""><td>reight of the comp with the output> minus <the comp="" height="" input="" of="" the="" top="" with=""> plus 6 inches height of the comp with the input>)^2 + 19^2) plus 6 inches</the></td><td>us 6 inches t>)^2 + 19^2) plus 6 inche:</td><td>ς,</td></the></the>	reight of the comp with the output> minus <the comp="" height="" input="" of="" the="" top="" with=""> plus 6 inches height of the comp with the input>)^2 + 19^2) plus 6 inches</the>	us 6 inches t>)^2 + 19^2) plus 6 inche:	ς,
Input port. Name Type Manufacturer Model	else { shor	e { shortest = <bottom extension="" height=""> + <bottom +="" <top="" extension="" height="" longest="19"> + <top height<="" td=""><td>ttom height of + <bottom hei<br=""><top height="" of<br="">+ <top height<="" td=""><td>ortest = <body>extension> + <body>extension> + <body< td="">+ <body< td="">ngest = 19 + <top comp="" height="" input="" of="" the="" with=""> + comp with the output> + cabinextension> + <top comp="" height="" input="" of="" the="" with=""> + top height of the comp with the input> + 19 + 6</top></top></body<></body<></body></body></td><td>abinet pull out wire + 6 :abinet pull out wire } + 6</td><td>} shortest = <bottom comp="" height="" of="" output="" the="" with=""> + <cabinet extension="" out="" pull="" wire=""> + <distance between="" cabinets=""> + <cabinet extension="" out="" pull="" wire=""> + <bottom comp="" height="" input="" of="" the="" with=""> + 6 congest = 19 + <top comp="" height="" of="" output="" the="" with=""> + <cabinet extension="" out="" pull="" wire=""> + <distance between="" cabinets=""> + <cabinet extension="" out="" pull="" wire=""> + <distance between="" cabinets=""> + <cabinet extension="" out="" pull="" wire=""> + <top comp="" height="" input="" of="" the="" with=""> + 19 + 6</top></cabinet></distance></cabinet></distance></cabinet></top></bottom></cabinet></distance></cabinet></bottom></td><td>abinets> + <cabinet or<br="" pull="">abinets> + <cabinet o<="" pull="" td=""><td>ut wire out wire</td></cabinet></cabinet></td></top></top></bottom></td></top></bottom></bottom>	ttom height of + <bottom hei<br=""><top height="" of<br="">+ <top height<="" td=""><td>ortest = <body>extension> + <body>extension> + <body< td="">+ <body< td="">ngest = 19 + <top comp="" height="" input="" of="" the="" with=""> + comp with the output> + cabinextension> + <top comp="" height="" input="" of="" the="" with=""> + top height of the comp with the input> + 19 + 6</top></top></body<></body<></body></body></td><td>abinet pull out wire + 6 :abinet pull out wire } + 6</td><td>} shortest = <bottom comp="" height="" of="" output="" the="" with=""> + <cabinet extension="" out="" pull="" wire=""> + <distance between="" cabinets=""> + <cabinet extension="" out="" pull="" wire=""> + <bottom comp="" height="" input="" of="" the="" with=""> + 6 congest = 19 + <top comp="" height="" of="" output="" the="" with=""> + <cabinet extension="" out="" pull="" wire=""> + <distance between="" cabinets=""> + <cabinet extension="" out="" pull="" wire=""> + <distance between="" cabinets=""> + <cabinet extension="" out="" pull="" wire=""> + <top comp="" height="" input="" of="" the="" with=""> + 19 + 6</top></cabinet></distance></cabinet></distance></cabinet></top></bottom></cabinet></distance></cabinet></bottom></td><td>abinets> + <cabinet or<br="" pull="">abinets> + <cabinet o<="" pull="" td=""><td>ut wire out wire</td></cabinet></cabinet></td></top></top></bottom>	ortest = <body>extension> + <body>extension> + <body< td="">+ <body< td="">ngest = 19 + <top comp="" height="" input="" of="" the="" with=""> + comp with the output> + cabinextension> + <top comp="" height="" input="" of="" the="" with=""> + top height of the comp with the input> + 19 + 6</top></top></body<></body<></body></body>	abinet pull out wire + 6 :abinet pull out wire } + 6	} shortest = <bottom comp="" height="" of="" output="" the="" with=""> + <cabinet extension="" out="" pull="" wire=""> + <distance between="" cabinets=""> + <cabinet extension="" out="" pull="" wire=""> + <bottom comp="" height="" input="" of="" the="" with=""> + 6 congest = 19 + <top comp="" height="" of="" output="" the="" with=""> + <cabinet extension="" out="" pull="" wire=""> + <distance between="" cabinets=""> + <cabinet extension="" out="" pull="" wire=""> + <distance between="" cabinets=""> + <cabinet extension="" out="" pull="" wire=""> + <top comp="" height="" input="" of="" the="" with=""> + 19 + 6</top></cabinet></distance></cabinet></distance></cabinet></top></bottom></cabinet></distance></cabinet></bottom>	abinets> + <cabinet or<br="" pull="">abinets> + <cabinet o<="" pull="" td=""><td>ut wire out wire</td></cabinet></cabinet>	ut wire out wire
Boylet in	~							. [D]
Keturn to GUI	∇							Δ

Application No.: 10/671,314 Inventor: Sprauve et al. Filed: September 24, 2003 Art Unit: 2179 Docket No. 351963-990101 Page 40 of 48 Replacement Sheet






Figure 40

Application No.: 10/671,314 Inventor: Sprauve et al. Filed: September 24, 2003 Art Unit: 2179 Docket No. 351963-990101 Page 41 of 48

Replacement Sheet

Eile E	File Edit View Tools He[口 V		
Floor plan Add Theater			Add Racks
Add Distributed	Add Racks and/or Cabinets for A/V Components	ients	X
Schematic Schematic	Number of racks of equipment 3		
Room Layout	Name of each rack #1	#2	#3
Parts List	Manufacturer Generic	Generic	Generic
Run List	Part # Generic	Generic	Generic
ıstallation & Tes	Description Generic rack	Generic rack	Generic rack
8	Number of rack spaces (inches) 41	41	41
		72	72
Comments	Uepun (inches) I enoth of wire tray (inches)	74	478
		0	2 0
	[rack []		L
	spaces available 123 I otal number needed	98	Extra rack spaces available 22
	ray. #1	24	
	to wire tray #2 #3	24	一大の大学 は、大学 は、大学 は、大学 は、大学 は、大学 は、大学 は、大学 は、
		Geo.	Defaults OK Cancel
Keturn to DM			
Neturn to crot			

Application No.: 10/671,314 Inventor: Sprauve et al. Filed: September 24, 2003 Art Unit: 2179 Docket No. 351963-990101 Page 42 of 48 Replacement Sheet






Figure 42

Application No.: 10/671,314 Inventor: Sprauve et al. Filed: September 24, 2003 Art Unit: 2179 Docket No. 351963-990101 Page 43 of 48

Replacement Sheet

MAY 1 0 2007




Figure 43

MAY 1 0 2007

Application No.: 10/671,314 Inventor: Sprauve et al. Filed: September 24, 2003 Art Unit: 2179 Docket No. 351963-990101 Page 44 of 48 Replacement Sheet

4 Wall Front Elevation View Elevation Ceiling Floor Room Wall <u>Fools</u> 48, 0 Main speaker 24, 0 Left speaker Component 60, 30 Subwoofer View 64, 0 Screen 52, 45 Rack Ueft elevation Front elevation Back elevation ○ Ceiling plan
□ Name
□ Type
☑ Picture
☑ Reference pt.
☑ X-Y position Return to DM stallation & T Run List Parts List View

Figure 44



Application No.: 10/671,314 Inventor: Sprauve et al. Filed: September 24, 2003 Art Unit: 2179 Docket No. 351963-990101 Page 45 of 48

Replacement Sheet




Figure 45

MAY 1 0 2007

Application No.: 10/671,314
Inventor: Sprauve et al.
Filed: September 24, 2003 Art Unit: 2179
Docket No. 351963-990101
Page 46 of 48

Replacement Sheet

Edit Edit	View	Tools	$\overline{ m Ho}[\overline{ m II}]$	
Floor plan				
Add Theater	Rules	for Auto Wi	Rules for Auto Wiring of A/V Calles for Wiring A/V	
Wizard Rules	Wire	Wire When Neede	Wire Wire Always When Needed Order of preferences	
Schematic		>	Video via VGA	
Racks// Cabinets		>	Video via Component	
Room Layout		>	Video via S-Video	
Parts Dist		>	Video via Composite	
Rün List		>	Video via IP	
nstallation & Tes	>	<i>></i>	Video via RF	
			Audio via coax digital	
		>	al	
		>	Audio via Composite	
		>	Audio via RF	
		<i>></i>	Audio via RF	
				-
Return to DW			[Defauits] OK [Cancel]	
Return to GUI				> _

Figure 46



Application No.: 10/671,314 Inventor: Sprauve et al. Filed: September 24, 2003 Art Unit: 2179 Docket No. 351963-990101 Page 47 of 48

Replacement Sheet




Figure 47

Application No.: 10/671,314 Inventor: Sprauve et al. Filed: September 24, 2003 Art Unit: 2179 Docket No. 351963-990101 Page 48 of 48

Replacement Sheet



				•				NATION TO SERVICE AND ADDRESS OF THE PARTY O	***		
	n i	, to 2			Gr 1038	giri n.,					
	atic	X	4" 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	n n			, : " «ÇIIII", . "	4: 40,000	1 (·
	gura	[~]	;	watts					Cance		
	ıfig			\circ	1						
	Cor	4.4		80	¥				OK		
	al (_	משר הייני	ac Tac			ight			
	sica		:	ter th	same			t to r	ults	1	
	hys			grea reate	the			n lef	Defaults		
	ır P	sks	,	tion on g	ër Ti			d fron			
	Rules for Physical Configuration	Rac	. ,	sipa	ceive			anc I			
•	ıles	s in	oor .	er dis diss	<u>d</u>			otton			
	RI	nent	he flu	owe	roun			to bo		5.) /w	
		Iodt	ove tl	ith p	/ sur			top			
		Con	inches above the floor ove the DVD player	ent w	A A A			from			
			ches the	pone	, and	vire.	٦	atic 1			
		y Jc	in	d o o	ayer	leo v	wire	e use			
		ing	54 ust ab	very ery c	R pl	S-Vic	. ₹	WIFE IE SC			
Z		uto Positioning of A/V Components in Racks	DVD player 54 inches above the f VCR player just above the DVD player	vent above every component with power dissipation greater than fan below every component with power dissipation greater than \lceil	VD player, VCR player, and A/V surround receiver in the same rack the number of wires between racks	the length of S-Video wire	the length of RCA wire	☑ Winimized the length of wire used ☑ Add component from the schematic from top to bottom and from left to right			
П		osit	DVD player VCR player	abo elov	layer	ength	ength	ieng it fro			
He		to F	DVD	vent fan b	70 p	he le	he le	tne			
Tools			the		e D\ ize t	ize t	ize t	iized omp			
		s foi	☑ Place the ☑ Place the	☑ Add a 1U ☑ Add a 1U	☑ Put the D' ☑ Minimize	✓ Minimize	linim			*	
View		Rules for A	☑ Place the ☑ Place the	☑ Add a 1U ☑ Add a 1U	☑ Put the D ☑ Minimize	≥	✓ Minimize	☑ Add comp			
				* 1	. ,	a, i		* 1.1			
Edit		3 3	Sts 1			······································					
File	plan* leater	Rule:	abine ayouf List	kun List lation & T	3/4 B	ĵ.		ine or a particular		784. 9	io Div
F	*Floor plan* Add Theater	Wizard Rules Schematic	Racks//Cabinete Rōōm Layout								Return to DM®
	A		Rac	nsta			Asia.				Re

Figure 48